

Notice of References CitedApplication No.
08/443,982Applicant(s)
Dixit et al.Examiner
David RomeoGroup Art Unit
1801

Page 1 of 1

U.S. PATENT DOCUMENTS

	DOCUMENT NO.	DATE	NAME	CLASS	SUBCLASS
A	5,258,454	11/2/93	Berg et al.	525	54.11
B					
C					
D					
E					
F					
G					
H					
I					
J					
K					
L					
M					

FOREIGN PATENT DOCUMENTS

	DOCUMENT NO.	DATE	COUNTRY	NAME	CLASS	SUBCLASS
N						
O						
P						
Q						
R						
S						
T						

NON-PATENT DOCUMENTS

	DOCUMENT (Including Author, Title, Source, and Pertinent Pages)	DATE
U	Itoh N; Yonehara S; Ishii A; Yonehara M; Mizushima S; Sameshima M; Hase A; Seto Y; Nagata S. The polypeptide encoded by the cDNA for human cell surface antigen Fas can mediate apoptosis. CELL, (1991 Jul 26) 66 (2) 233-43.	07/1991
V	Boldin et al. Self-association of the "death domains" of the p55 tumor necrosis factor (TNF) receptor and Fas/APO1 prompts signaling for TNF and Fas/APO1 effects. JOURNAL OF BIOLOGICAL CHEMISTRY, (1995 Jan 6) 270 (1) 387-91.	01/1995
W		
X		